

# THE CHOICE IS YOURS.

Pearl has been crafting percussion instruments designed to fit the needs of every drummer since 1946. No matter where the playing road takes you, Pearl has the right drum set options to make your voice heard at every step along the way.

**REFERENCE PURE** 

#### MASTERWORKS



CUSTOM CRAFTSMANSHIP FOR THE MASTER PERCUSSIONIST. The dream destination for the Pro drummer that wants true control. Every element of the kit's sound, look, and feel is player-selected from a limitless palette of custom options. Hand-crafted to heirloom perfection for the ultimate custom drum statement.

PAGES 2 - 5

#### **MASTERS MAPLE & BIRCH**



LEGENDARY SONIC BALANCE.

Masters delivers a road-proven, studio-staple combination of warmth, power, punch, and sonic clarity. Stunning finishes and Masters hardware make this series perfect for the touring pro drummer. Choice of North American Maple (MCX) or all Birch (BCX) shells.

PAGES 10 - 11

#### **VISION VBL**



#### NEXT LEVEL PERFECTION.

Truly a sight to behold, Vision gives the next-level drummer a strong foundation to build a career on. Quality high-gloss lacquer finishes, durable hardware, and stellar tone make it the clear choice for moving your drumming voice forward.

PAGE 16





SONICALLY SELECT DRUM PERFORMANCE. The best custom options from the Masterworks realm, preselected to draw the best in sound and playability from each drum. Optimum pro performance for highvolume, high-capacity playing presence.

#### PAGES 6 - 7

#### SESSION STUDIO CLASSIC





PAGES 12 - 13

**EXPORT & EXPORT LACQUER** 

THE LEGENDS OF TOMORROW, PLAY EXPORT TODAY.

The kit that spawned a thousand drumming legends is back for a new generation. Available in wrapped or lacquer finishes, Pearl's new Export is built stronger than

PAGES 17-19

ever to give the student drummer's lifetime of play a strong beginning.

and stunning lacquer finishes make it fit in any pro playing environment.



THE ORIGINAL SEAMLESS ACRYLIC DRUM SHELL. Originally introduced in 1973, Crystal Beat returns with unparalleled tonal - and visual - clarity and punch for a new breed of power players. Precision-molded in a variety of available sizes and finishes for an unmistakable drumming signature.

PAGES 14 - 15

#### ROADSHOW



IT'S YOUR TIME TO PLAY. START THE RIGHT WAY! The rhythm is in you; the right gear is essential for setting it free. The Roadshow complete drum set package comes with everything needed (drums/hardware/ cymbals/extras) to start your rhythmic journey to the big time.

PAGE 20



UNRESTRICTED TONAL RESPONSE. The sonically-select Reference formula in a thin drum shell format. Unrestricted tone for close-field articulation with a warm, resonant vibe. Ideal for controlled environments and concert settings where extended tuning range is paramount.

PAGES 8 - 9

#### **CRYSTAL BEAT**







## 2015 GENERAL CATALOG All specifications and availability subject to change without notice.

#### HARDWARE **DRUM SETS** 2-5 Masterworks 36-37 **Demon Drive** Demon Chain 6-7 Reference 36-37 8-9 **Reference Pure** 38 Eliminator Masters Maple / Birch 39 P-930 10-11 Session Studio Classic **Hi-Hat Stands** 12-13 40-41 **Snare Stands Crystal Beat** 42 14-15 16 **Vision Birch Lacquer** 43 **Drum Thrones Boom & Straight Cymbal Stands** 17 **Export Lacquer** 44-45 46-47 Racks & Tom Stands / Arms 18-19 Export Roadshow 20-21 PERCUSSION 22-25 ePro & Accessories **SNARE DRUMS**

28	Reference
29	Masters
29	Session
30	Free Floating
31	Hybrid Exotic
32	SensiTone
33	SensiTone Premium
34	Signature
35	Effect

881 UK STOP 65 2.4 5	
48-49	Signature Congas & Bongos
50-51	Cajons & Accessories
52	Timbales
53	Cowbells
52-53	Frame Drums & Accessories
54	Djembes & Folkloric Percussion
55	Brazilian & Concert Percussion
56	Hand Percussion
57	Percussion Stands,
	Bags & Holders
58-59	Replacement Parts
60-62	Artist Collage
Back Cover	<b>Configuration &amp; Color Chart</b>

#### THE BEST WARRANTY IN THE INDUSTRY!\*



#### COMMITTED TO THE HIGHEST LEVEL OF CUSTOMER SATISFACTION.

The Pearl Lifetime Warranty is a statement of confidence to our customers to the reliability of Pearl products. Pearl drums, stands and hardware are designed and manufactured to the highest standards in quality, style, appearance and playing performance. This lifetime warranty

reflects a tradition of excellence and a commitment to superior engineering and craftsmanship dedicated to you, the drummer. The Pearl lifetime warranty is our pledge to you that we will proudly stand behind our product for as long as you own it. Buy it once, play it for life.

• Drum Set/Concert wood and metal shells for the Lifetime of the Original Owner.

• Foot pedals, hi-hat stands, cymbals stands, boom cymbal stands, snare drum stands, throne bases, floor-standing tom stands, floor-standing cymbal/tom stands, concert stands, racks and rack accessories, cymbal holders and multi-clamps for the Lifetime of the Original Owner. Some exceptions apply.

• Drum Set claws, tension rods, swivel nuts, spurs, tom brackets, tom holders, strainers, and nuts and bolts for the Lifetime of the Original Owner.

- Rotationally molded cases for the Lifetime of the Original Owner.
- The LIFETIME WARRANTY applies to the aforementioned Pearl products purchased from June 15, 2009

\* This warranty is valid only in the United States and excludes the Crystal Beat and Roadshow Series.

# **MASTERWORKS**

CUSTOM CRAFTSMANSHIP FOR THE MASTER PERCUSSIONIST.



#### YOU'VE ARRIVED. IT'S TIME TO TELL THE WORLD.

Since 1999, Pearl's hand-crafted Masterworks drums have given the professional drummer the tools to make a totally custom statement with new heights of perfection.

The philosophy is simple: let the drummer call the shots on the construction, sound, look, and feel of the kit. Truly custom options - from shell composition and thickness, to hardware selection and finish, even bearing edges and a virtually endless pallet of custom finishes. All selected by and built for you by the most elite craftsmen in the drum world.

For the ultimate personal and performance statement, Masterworks puts you in control

#### SHELL MATERIALS LET YOUR EARS DECIDE

#### MAPLE

#### The perfect blend of tone, attack, and body.

· Ideal for general purpose applications. • Equal tonal amounts of hi-end attack, mid-range body, and low-end punch.

 Hand-selected for proper density, grain consistency, and color. · North American hardwood with rich, even grain.

#### BIRCH

The precision choice for high-volume cut and power. · Best suited for live, high-volume environments. · Offers boosted hi-end cut with mellow midrange. • Natural EQ delivers articulate stroke with shorter, even decay. • North American "white" wood with marbled, subdued grain.

#### MAHOGANY

Deep, powerful punch with dark, elegant tone. · Boosted bottom-end perfect for controlled rooms/studios.

- · Speaks with rich warmth from low-end register.
- Beautifully smooth midrange sustain with hi-end roll-off.
- · Porous African wood with rich, dark texture and grain.

#### **COMPOSITE SHELL** The Ultimate Hybrid.

• Custom configure a kit down to the wood plies used for shells.

- Sonically blend the characteristics of different wood types.
- Maple/Birch ideal for outer plies, inner Mahogany plies boost bass.
- Plies must be specified in groups of 2 for cross-lamination panels (i.e. 2 outer Maple + 2 inner Mahogany = 4 ply shell, etc.)

SHELL THICKNESS PRECISION TONAL CONTROL



Reinforcement Rings)

Great resonance and sustain with

top-end "spike." Maximum tonal note

for the near-field environment.

MEDIUM (6-ply, 7.5mm) Exceptional for general-purpose play. Excellent projection with full-bodied wood tone.



THICK (8-ply, 10mm and 10-ply, 12.5mm) Maximum cut and projection wit subdued sustain



Masterworks allows you to further tailor your drum tone by selecting the thickness of each shell.

S INCOM

Masterworks

# **MASTERWORKS**

COMPLETELY CUSTOM. TOTALLY HANDMADE.

represent all that is possible in custom drums. Our lacquer finish options are limited only by your imagination; and with the added option of exotic Artisan natural wood veneers (shown to the right), custom banding or inlay striping, or even Carbonply technology, the spectrum for customization has never been broader!

-611

Define Yourself. Masterworks drums truly

CHOICE OF COMPOSITION THE ULTIMATE STATEMENT IN DRUMS CUSTOM SHELL THICKNESS

Pearl

### NO ASSEMBLY LINE. NO BOUNDARIES.



TAMO



BUBINGA



EUCALYPTUS



CARBONPLY



ARTISAN FINISHES

NO PREFABRICATION

# **REFERENCE SERIES**

A. OTHER STREET,

STIT

SONICALLY SELECT DRUM PERFORMANCE.



Series wood snare drum uses 6 inner plies of Birch united with 14 outer plies of Maple for a staggeringly thick 20 ply shell. The

45 Degree bearing edge brings all 20 plies to the party in a highly

focused sweet spot. This projects the volume that you would expect from such a thick shell without losing sensitivity or articulation.



Bridge style lugs and floor tom leg brackets provide maximum resonance with minimal shell contact. Pearl's revolutionary BRL lugs assure the ultimate in head seating and tuning integrity. The unique swivel function assures maximum resonance and sustain.



THE REFERENCE RECIPE	SHELL TYPE	BEARING EDGE	SONICOUTPUT
8" and 10" Toms	Maple/Birch 6-ply (7.5mm)	Rounded 45°	Extra cut and projection for high-note pitch
12" Tom	Maple 6-ply (7.5mm)	Rounded 45°	Transitional mid-note; blend of warmth and cut
13" Tom	Maple/Mahogany 6-ply (7.5mm)	Rounded 45°	Top-end slap with added low/bottom end
14"-18" Toms/Floor Toms	Maple/Mahogany 8-ply (10mm)	Fully Rounded	Bracing low-end with extended sustain
18"-20" Bass Drums	Maple/Mahogany 6-ply (7.5mm)	Fully Rounded	Enhanced sub-frequency response
22"-24" Bass Drums	Maple/Mahogany 8-ply (10mm)	Fully Rounded	Booming bass tone with articulate punch

#### **«** THE REFERENCE RECIPE

All drums are not created equal. So why make them all with the same wood type and edge? Reference toms, snares, and bass drums each have a different 'recipe' for their specific application and voice.

Our telescoping bass drum spurs feature a high-grip rubber tip. The tip can retract and allows a recessed spike to be exposed for maximum "bite" on carpeted surfaces.

RF924XPC103 #103 PIANO BLACK

#### **REFERENCE SERIES: THE STANDARD** TO WHICH ALL DRUMS ARE JUDGED.

Reference Series Drums are the product of what became a two and a half year search for harmonic perfection. Like keys on a piano, each drum in a kit should combine to create a singular instrument without losing its own sonic signature. With this concept in mind, Pearl explored the many options in the Masterworks crafting process to find the perfect combination of shell material, thickness, and edge profile for each individual size and type of drum. The result is a collective of individually-engineered drums dialed-in to the best sonic character for that drum's intended voice. Truly, the reference standard for quality and sound performance.

> All Reference snare drums feature Pearl's SR-1000 Glide-Lock Strainer, which includes a locking throw off lever and tension knob that won't loosen no matter how

> > TOM

IRIIM HAR



hard you play. Low-friction technology permits smooth gliding action for ultra quiet, super precise motion. US Patent #7220905, #7301087, #7365256

#### **REFERENCE** SPECIFICATIONS

HELLS	Maple, Birch & African Mahogany
SNARE	20 Ply Matching 13 x 6.5,
	14 x 5 or 14 x 6.5*
FINISH	Super High Gloss Lacquer
	/ Lacquer Sparkles**
HEADS	Remo Clear Emperor Tom,
	Powerstroke3 Bass
OUNTS	Aluminum OptiMount
	Suspension System
ARMS	Sold Separately
DWARE	Chrome, Black Chrome or Gold Plated
HOOPS	MasterCast Die-Cast Hoops
LUGS	BRL Bridge Lugs with Swivel Function

\*Sold Separately See full Color Chart on back cover for all Special Order Finishes

Stock finishes listed below



#102 NATURAL MAPLE

#103 PIANO BLACK

#376 ULTRA BLUE FADE

# **REFERENCE** PURE SERIES

#### UNRESTRICTED TONAL RESPONSE.

Reference Pure proudly builds upon the Masterworks philosophy started by Pearl's original Reference Series Drums. Using the same shell composition formula as the original (number and type of wood plies, taskspecific bearing edges, etc.) the highly resonant qualities of Reference Pure's lower-mass, thinner shell assure an uninhibited shell-focused tonality that responds immediately in any playing environment.

Cart I

Int



#### THE REFERENCE PURE DIFFERENCE:

 Ultra-thin "Evenply" Shells (About 30% thinner than Reference) resonate freely with the lightest touch. We reduced the tom thickness from 7.5 to 5.4mm thick and floor toms and bass drums from 10mm down to 7.2mm. Shell hardware mass decreased by 30%, allowing better vibration transference to the shell from the head. • 1.6mm FatTone Hoops' exclusive hemmed/welded edge (US Pat. #8367917) gives increased strength to low-mass design. • STL Swivel Tube Lugs allow for increased resonance, minimal shell contact, and precisely aligned, no-bind tuning.

10 CET

Pearl

Referen

UNION

Reference Pure snare drums feature ultra-thin "Evenply" shells with 4 outer plies of Maple for a smooth, balanced sound with 2 inner plies of Birch for extra cut and projection. The 45 degree bearing edges provide superb sensitivity and pinpoint articulation.

#### **REFERENCE PURE SPECIFICATIONS**

SHELLS Low Mass Evenply Maple, Birch & African Mahogany 6 Ply Matching 13 x 6.5, 14 x 5, 14 x 6.5\* SNARE FINISH Super High Gloss Lacquer / Lacquer Sparkles \*\* Remo Clear Emperor Tom, Powerstroke3 Bass TOM MOUNTS Aluminum OptiMount Suspension System Sold Separately TOM ARMS Low Mass FatTone Hoops HOOPS Low Mass STL

Swivel Tube Lugs

\*Sold Separately

HEADS

LUGS

\*\* Stock finishes listed below. See full Color Chart on back cover for all Special Order Finishes


100







Pearl's SR-1000 Glide-Lock Strainer's locking throw off lever and tension knob assures worry-free, slip-free performance from all Reference Pure Snare Drums. (US Patent #7220905, #7301087, #7365256.)



Aluminum OptiMount Suspension System mounts to the tension rods and are insulated from metal to metal contact.

Air Suspension Rubber Tip (US Patent #5881981) isolates the tom from the floor, preventing tonal choke and increasing resonance.



Pearl's Golden Ratio Air Vent (US Patent #7485791) is precision placed on toms to increase low-end response, while low-mass. low-contact STL lugs and floor tom brackets allow for increased shell sustain





# MASTERS MAPLE + BIRCH MCXSERIES + BIRCH

\_\_\_\_\_

isters

### THE LEGENDARY SOUND OF PEARL.

Masters Maple the same 6 ply Maple shells and quality drum hardware that has made the name Masters synonymous with excellence. Never efore has the legendary lasters sound been

CHOICE OF 100% MAPLE or 100% BIRCH Pearl Masters Maple & Birch are adorned with MasterCast Die-Cast Hoops, the finest die cast hoops available, and feature the perfect blend of thickness and mass to improve the depth, clarity and

focus of the drums.

The OptiMount Suspension System attaches to the tom's tension rods, and provides the ultimate in stability, while at the same time allowing the drum to resonate fully without restriction.

vailable to so many.

Masters Series shells are formed using Pearl's exclusive Superior Shell Technology (SST) that assures sonic perfection, road-worthy durability, and years of musical enjoyment and performance.

Choose from either 100% Maple for even distribution of lows, mids, and highs or 100% Birch with boosted lows and highs with slightly less mids.

JEREMY

#### MASTERS MAPLE: PREMIUM TONE FOR THE TOURING PRO

Truly a set worthy of its name, Masters Maple delivers the essentials touring players rely on for pro performance. Derived from Pearl's legendary MLX shell, the 6-ply all Maple shell on Masters Maple made drumming history with Jeff Porcaro, Tommy Lee, and Dennis Chambers; now it's ready to do the same with you at the helm.





6 ply 100% Maple 7.5mm SNARF Matching 14 x 5.5\* or 14 x 6.5\*

MCX924XSPC810

#810 ASH FADE TAMO

Pearl

- Super High Gloss & Artisan II Lacquer FINISH
- Remo Clear Ambassador Tom, HEADS
- Powerstroke3 Bass
- TOM MOUNTS OptiMount Suspension System
- DRUM HARDWARE Chrome
  - HOOPS MasterCast Die-Cast Hoops LUGS CL Bridge Lugs

#### **MASTERS BIRCH** SPECIFICATIONS

SHELLS	6 ply 100% Birch 7.5mm
SNARE	Matching 14 x 5.5* or 14 x 6.5*
FINISH	Super High Gloss & Artisan II Lacquer
HEADS	Remo Clear Ambassador Tom,
	Powerstroke3 Bass
M MOUNTS	OptiMount Suspension System
HARDWARE	Chrome
HOOPS	MasterCast Die-Cast Hoops
LUGS	CL Bridge Lugs



MASTERS BIRCH #818 LAVA BUBINGA



To maintain optimal resonance, Masters Maple & Birch kits feature professional hardware including SP-30 spurs, LB/ LG-40 floor tom legs, MasterCast Die-Cast Hoops, OptiMount Suspension System, CL bridge lugs and Air



All Masters drums feature Pearl's proprietary 38-step high-gloss and Artisan II Lacquer finishes. This "green" technology of the Artisan II Lacquer finishes gives Masters Maple and Birch drums the rich look of exotic

#### MASTERS BIRCH: BRINGING THE POWER BACK TO THE ROAD

Recently added to the Pearl Masters line is Masters Birch, bringing all the features of Masters Maple but with a 6-ply all Birch shell. Renowned for its "Natural EQ" sound in studio and live applications, Birch's boosted low and high tones power through amplification and make the drummer's voice heard with barking clarity.







BRONZE GLITTER

# SESSION STUDIO CLASSIC

## THE RETURN OF PERFORMANCE.

The Classic is back, returning in beautiful finishes, featuring the tom sizes that ruled back in the day. Create the sound that caught your ear and inspired your inner groove.



Classic sound is a warm, resonant Kapur surrounded by the brightness Birch and finished with a perfect 45° bearing edge. This timeless combination creates a shell with powerful attack and beautiful tonal decay. Fitting for virtually any style of music or venue.



-----



**TERENCE HIGGINS** 

freely through the drum. This creates

a livelier, punchy tonality reminiscent of the chart-topping kits of yesterday.





The OptiMount Suspension System attaches to the tom's tension rods, and provides the ultimate in stability, while at the same time allowing the drum to resonate fully without restriction.



#### SESSION SSC SPECIFICATIONS

SHELLS	6 ply Birch / Kapur 7.5mm
SNARE	Matching 14 x 5.5* or 14 x 6.5*
FINISH	Super High Gloss Lacquer
HEADS	Remo Clear Pinstripe Tom, Powerstroke3
	Bass
TOM MOUNTS	OptiMount Suspension System
DRUM HARDWARE	Chrome
HOOPS	SuperHoop II
LUGS	RL Lugs
	*Sold Separately

kit for the aspiring musician. ke3

**SSC924XUP/C** #361 VINTAGE COPPER SPARKLE

WILL KENNEDY THE YELLOWJACKETS

#103 PIANO BLACK

11 1.50

Pear

#106 ANTIQUE IVORY

#110 SEOUOIA RED #113 SHEER BLUE

#389 MATTE LIQUID SPARKI F

#361 VINTAGE COPPER

AMBER

#### CLASSIC SOUND. AMAZING VALUE.

Session Studio Classic without question is the ultimate value in drums. Offering many of the ground-breaking features normally found on drums that cost substantially more. Session Studio Classic is the perfect "Step up"

Blended shells of Birch and Kapur provide solid punch and volume for a sophisticated tonal range. SSC features a diverse selection of shell sizes to fit your style and taste, including bass drums from 20" to 24", matching snare drums and six Classic Pearl high gloss lacquer finishes.

# CRYSTAL BEAT SERIES

#### THE ORIGINAL SEAMLESS ACRYLIC DRUM SET.



In 1973, Pearl set a benchmark in the drumming world with the introduction of Crystal Beat. A stunning combination of visual appeal and powerful, sonic attack, Crystal Beat's revolutionary seamless construction was molded - not rolled - creating a strong acrylic drum system that could stand up to the rigors of touring.

SHELL

By increasing shell thickness to 7mm, Crystal Beat's modern acrylic shell is more flexible, less brittle, and deliver more body and tone than ever before. Its dual 45° bearing edge features a rounded apex, adding control, increased articulation, and punch to acrylic's lively sonic nature.

CRYSTAL BEAT #730 ULTRA CLEAR

ear

PL1





#### HARDWARE

Crystal Beat's toms include the Opti-Mount suspension system to remove undue shell pressure and increase sustain. 1.6mm triple-flanged hoops offer just the right amount of attack without sacrificing tonal body.



#730 ULTRA CLEA





**#732** TANGERINE GLASS



#### **CRYSTAL BEAT** SPECIFICATIONS

SHELLS	7mm Seamless Molded Acrylic
SNARE	Snare Drums and Free Floater Shell*
FINISH	Ultra-Clear
HEADS	2-Ply on Tom Batters, Single-Ply Resonant
TOM MOUNTS	OptiMount Suspension System
TOM ARMS	Sold Separately
DRUM HARDWARE	Chrome
HOOPS	1.6mm Triple-Flanged
LUGS	CB Mid-Lugs on Toms, CB Fat-Lugs on Bass
	*Sold Separately

THE HARDWARE

## VISION BIRCH LACQUER

#### NEXT LEVEL PERFECTION FOR THE DRUMMER WHO KNOWS THE DIFFERENCE.

Truly a sight to behold, Vision gives the next-level drummer a strong foundation to build a career on. Quality high-gloss lacquer finishes, durable hardware, and stellar tone make it the clear choice for moving your drumming voice forward.





By removing the mounting hardware from the drum, the I.S.S. Mounting System allows the shells to vibrate freely for maximum resonance and sustain.

Pearl offers 3 VBL configurations, and they all come with Remo two-ply heads and chrome plated Steel SensiTone snare drum. These incredible sounding drums are offered in five exclusive High-Gloss Lacquer Finishes.

# LOOKS. SOUND. PRICE.

Crafted to capture the look, sound, and feel of top-end gear at an accessible price, new Export Lacquer drums boast a list of features that is far beyond their low price-tag. Everything you would expect from the #1 selling drum set in the world is in the mix, upgraded, and ready to fuel the fire of drumming right out of the gate for the serious player.



**VISION VBL** SPECIFICATIONS

6 ply 100% Birch 7.5mm

14 x 5.5 Steel SensiTone

High-Gloss Lacquer

Remo Clear Tom Head,

Powerstroke Bass Head

LSS Mounting System

Chrome

TL Lugs

1.6 mm Stee

SHELLS

SNARE

FINISH

HFADS

HOOPS

LUGS

TOM MOUNTS

DRUM HARDWARE



#239 GRAPHITE

#243 PRUSSIAN BLUE

#244 NATURA

BLACK BURST

### EXPORT LACQUER SERIES

#### A NEW UPGRADE FOR THE SERIOUS PLAYER.

Available in three configurations in a choice of four lacquered finishes, Export Lacquer can be expanded with a wide range of matching add-on components to create a setup as unique as your playing signature.

830 Series is the most sophisticated hardware package ever offered on a drum kit at this price, and it's ready for the assault.
 See page 19 for details.

ear

EXPORT LACQUER #255 NIGHTSHADE LACQUER



Reference-inspired blended Poplar/Mahogany shell for strong volume assault with deep resonance and sustain.



#**246** NATURAL Cherry

#### **EXPORT LACQUER** SPECIFICATIONS

TH-701

Chrome

Poplar and Asian Mahogany Blend

Choice of 3 High Gloss Lacquer Finishes

P-930, BC-830, C-830, H-830, S-830

14 x 5.5 Matching Wood Snare

Remo Clear Tom Head,

Powerstroke Bass Head

Opti-Loc Mounting System

SHELLS SNARE Finish Heads

TOM MOUNTS Tom Arms Drum Hardware Hardware



#248 BLACK SMOKE

#249 HONEY AMBER



#**255** NIGHTSHADE Lacquer

# **EXPORT SERIES**

THE LEGENDS OF TOMORROW, PLAY EXPORT TODAY.

Export Series now incorporates Pearl's SST (Superior Shell Technology), Opti-Loc Mounting System, all-new 830 Series Hardware with a P-930 Pedal, and a choice of six amazing stocking finishes.

#### **EXPORT SPECIFICATIONS**

- Poplar and Asian Mahogany Blend SHELLS 14 x 5.5 Matching Wood Snare SNARF
- Choice of 6 Covered Finishes FINISH **Remo Clear Tom Head.** HEADS
- **Powerstroke Bass Head**
- **Opti-Loc Mounting System** TOM MOUNT
- TOM ARMS **TH-70I** DRUM HARDWARE Chrome
- HARDWARF P-930, BC-830, C-830, H-830, S-830

Pear

Export rack toms are equipped with Pearl's new Opti-Loc Mounting System that features a triangular design with two tension rod attachment points and another through one of the drum's two air vents.

Rubber isolators at all

connection points allow the drums to vibrate freely for maximum sustain and resonance while providing absolute and wobble-free performance.

JOEY JORDISON SCAR THE MARTYR

EXPORT OWNER

EXPORT #708 GRINDSTONE

## SPARKLE

#### THE BEST SELLING DRUM SET IN THE WORLD.

The #1 Selling drum set in the world is back and better than ever. Export Series is the name every drummer knows. Meet any successful drummer today and chances are he started playing on an Export kit. These value packed kits jumpstarted thousands of drummers by bringing quality and value together.

#21 SMOKEY CHROME

Now 30 years later Export does it again. Big features like Reference inspired shell composition, P-930 drum pedal, Opti-Loc Mounting System, and our all new hardware package make Export the biggest value in drums today... again.

Reference inspired blended shell construction uses the classic sound of Poplar combined with inner plies of Asian Mahogany for strong volume and assault with deep resonance and sustain.

TONY PALERMO PAPA ROACH

EXPORT OWNER

IAN O'NEIL COLBIE CAILLAT

EXPORT OWNER





SPARKLE

#708 GRINDSTONE

50-1

Includes

HWP-830 Hardware

#### EXX725S/C EXL725S/C EXX705/C EXL705/C 22"x18" 20"x18" 10"x7")(12"x8" 12"x8"

EXPOR

#21 SMOKEY CHROM

EXX725/C EXL725/C

22"x18"

MIKE WENGREN DISTURBED

EXPORT OWNER

### **830 SERIES HARDWARE**

Without a doubt the most sophisticated hardware ever offered on a drum kit at this price. The BC-830 Boom stand, C-830 Cymbal stand, and S-830 Snare Drum stand all feature infinitely adjustable Uni-Lock Tilters for pinpoint positioning. Robust 1" diameter base tubes and 7/8" diameter center tubes with sturdy double-braced tripods provide exceptional rigidity and stability. The H-830 Hi-Hat stand features swivel legs that accommodate double pedals. The P-930 drum pedal combines the styling and performance of the Demon Drive pedal with the Eliminator interchangeable cam technology for the ultimate in power, speed, and control.





EXPORT **#702 ELECTRIC BLUE SPARKLE** 

EXPORT #91 RED WINE



Export comes equipped with the P-930 drum pedal. This drum pedal combines the long board design of our Demon Drive drum pedal with the interchangeable cam design of our Eliminator drum pedal for amazing performance and value.

**P-930** DRUM PEDAL

# **ROADSHOW** SERIES

IT'S YOUR TIME TO PLAY. START THE RIGHT WAY WITH PEARL!

ROADSHOW's included hardware package is second-to-none

in its class.

All stands are dual-reinforced,

height and angle adjustable, and feature doublebraced legs to withstand the pounding onslaught of the heavy-hitting drummer.

#### >>>> THE RHYTHM IS IN YOU ... the right gear

is essential for setting it free. No toys or hand-me-downs; a new, complete drum set package with everything you need to start your rhythmic journey to the big time.

### ROADSHOW CONFIGURATIONS

COMPLETE SETS WITH HARDWARE AND CYMBALS









ROADSHOW snare is full of attack and power, yet sensitive enough for drumming at any volume.





With a matching shell and finish, the The ROADSHOW kick drum features an extended tension/tuning range for low, chest-thumping bass frequencies, and includes locking, slip-free feet, and secure mounting for toms and accessories.

#### **BASS DRUM PEDAL**



Designed after Pearl's awardwinning Eliminator pro pedal line, the ROADSHOW kick pedal's doublechain drive action and adjustability create smooth, effortless play.

## **THRONE INCLUDED**

RS-525SC/C91 #91 RED WINE



Not leaving anything behind in the complete set-up, ROADSHOW includes a double-braced, height adjustable drum throne to create a comfortable base of play for extended shedding sessions.

#### **DRUM SHELLS**

ROADSHOW's bass drum, tom toms, and snare feature a 9-ply Poplar shell for optimum tonal power.

#### **ROADSHOW** SPECIFICATIONS

CYM

ACCESSO

LLS	9 Ply 7mm Asian White Poplar
ARE	Matching Wood Snare
IISH	Choice of 4 Covered Finishes
ADS	Clear Tom Heads, Coated Snare Head,
	Self-Muffled Bass Head
RMS	Individually Locking 7/8" Tube Joint Ho
ARE	Dual-Chain Drive Bass Drum Pedal
	Double-Braced Cymbal*, Snare, and Hi
	Double-Braced Throne
ALS	16" Brass Cymbal, 14" Brass/Hybrid Hi
RIES	Pro Drum Stick Bag, Two pair of Maple

#### THE BEST STARTER DRUM SET AVAILABLE

True Pearl's legacy of drum-building excellence, all the key elements are here and crafted to be everything you'd expect from a Pearl drum set.





#### NATE MORTON THE VOIC

For additional info, testimonials assembly videos, free instructional videos, and access to the largest online drummer's community, go to:



WWW.MYFIRSTDRUMSET.COM



Hat Cymbals 5A Sticks led with RS 584C/C



#**31** JET BLACK









#706 CHARCOAL METALLIC #707 BRONZE METALLIC



OMMY LEE MÖTLEY CRÜE

EPEXX725S/C708 #708 GRINDSTONE SPARKLE WITH EP02P CYMBALS & EHH-2 HI-HAT

## **ePRO** COCKTAIL KIT **A MODERN VERSION OF OLD SCHOOL DESIGN**

EPCTK1424/SC #400 WHITE MARINE PEAR

- The first multi zone Electronic Cocktail Kit utilizing the Pearl r.e.d.box Module
- Setup with 7 programmable triggers that can be assigned with any of the 1000 sounds in the Redbox module
- The layering capability can produce endless
- possibilities for percussion and drum set design • Can be used by drummers and percussionists
- who want to have the real look and feel on stage

EPCTK1424/SC #402 ABALONE

### **ePRO** POWERED BY EXPORT

ePro Powered by Export is the new generation of electronic drums from Pearl. We have combined the power of ePro live with our new Export series to give you the real look and feel that today's drummer demands. ePro powered by export is available in both Lacquer and Wrap Finishes and includes the new EHH-2 Hi Hat controller.



The r.e.d.box module features 1000 sounds and 150 programs and covers everything from Acoustic drums to Hybrid combinations. And if that wasn't enough, you can use it as an acoustic kit, electronic kit or create a hybrid combination of both that gives you endless possibilities.



Pear

# Pearl

**TRUTRAC HI-HAT** 

EHH-2 trutrac hi-hat





The TruTrac hi-hat is designed to replicate the look and feel of its acoustic counterpart. It follows a traditional approach mounting on any acoustic hi-hat stand. The TruTrac Hi-Hat uses top and bottom cymbals with full motion for a natural playing experience. When combined with the Redbox sound module, it produces sounds from open to closed, half-open and three quarter positions plus "chik" and splash. Pearl designed the TruTrac Hi-Hat to be the perfect upgrade for ePro Live and the TruTrac Pad conversion kits.









All of these great components couldn't reach their full potential without rich drum and percussion sounds generated from the r.e.d.box drum module (r.e.d. stands for Real Electronic Drums). The 128MB RAM capacity accommodates 1000 High Definition Sounds, 150 High Definition kits, plus space for 50 user-created kits.

## **TRUTRAC PACK**

Pearl's TruTrac Electronic Drumheads are available in prepacks and individual components so you can convert your own acoustic kit into an electronic kit. Both pre-packs include (5) No Drill Adapters and all necessary parts and tools to complete your kit's conversion from acoustic to electronic. Connect the pads to your favorite module, Hi-Hat controller and cymbals to enhance your current electronic kit, and you're good to go!



TruTrac Pack Conversion Kits are available in two configurations: 10/12/16/14/Bass and 12/13/16/14/Bass.



No-Drill adapters connect through your air vent with no soldering or drilling required.



Insert the longer supplied tension rods into your existing hoops and tighten them just enough to secure the TruTrac Electronic Drumhead.



RBM-20MUL r.e.d.box MODULE



provide an enhanced dynamic range and sensitivity to give drummers the expression needed to appreciate the nuances of the lightest ghost notes and softest buzz rolls on stage or in the studio. Every kit has been modified to use the pitch-to-velocity function which allows samples to change in pitch when played at different velocities, creating a more realistic performance and reducing the unwanted triggering that is evident in most modules. ePro Live now supports the addition of 2 extra crash cymbals which require no additional programming when inserted to trigger inputs #10 and #11. Additional improvements have been made on the panning, EQ, and effects to provide the highest quality sonorities for recording or live performances. The fifty new kits run the gamut from Acoustic, One man Rhythm Sections and Hybrid Electronic. The r.e.d.box now has 150 kits and is the largest library available in a drum module.

One of the most unique features of the r.e.d.box module is the ability to flash the memory of the module and replace the Original Acoustics with one large and lush-sounding kit. Just follow these easy steps and you'll be on your way to playing premium kits on your ePro Live from the best drum sampling software companies in the world!

- 1. Visit n to preview and purchase specially designed kits from Zildjian, Toontrack, Steven Slate, and Pearl and download the free software that allows your PC or Mac to communicate with the r.e.d.box. 2. Connect your computer to the r.e.d.box with a USB cable.
- 3. Launch the Memory Switch communication software and move the Original Acoustics to your computer.
  - 4. Using a Mac, drag and drop the Lush kit onto the r.e.d.box icon which loads in 20 minutes.
  - (Separate instructions required for PC) 5. Reverse the process to replace the original acoustics.
  - 6. Free samples of lush sounding kits and drumless play-a-long tracks are available at re

redbox

One very unique and exciting capability of Pearl's r.e.d.box is the Memory Switch, which gives you the ability to flash the memory and substitute a lush, super highend drum set for the original acoustics. Pearl has partnered with professional digital drum samplers Toontrack, Zildjian, and Steven Slate Drums, to provide the lush kits through

r.e.d.boxEl

100

In



PDM250



THMP1



Pearl's Precision Drum Monitors are a closed dynamic headphone of exceptional quality suitable for the most demanding professional applications. Based on the highly acclaimed Bever Dynamic DT770 Pro, Pearl's PDM250 has been custom engineered as the ultimate drum monitoring headphone for recording studios, post production, or broadcasting situations.

Compatible with any electronic drum set and attachable to any throne. The Throne Thumper is equally at home vibing your kit's low frequencies to you as you practice, or letting you feel the bass player groove in a live show environment where hearing the other musicians is tough. Installation is easy and coupled with Pearl's Precision Drum Monitors, you'll hear every sonic nuance that your kit produces.

offers the ultimate variety of high resolution kits ready for download. Play along mp3s are available in all genres as well as historical Pearl kits.



GENE HOGLAN DETHKLOK/TESTAMENT/DARK AN

> MIKE REID RIHANNA / DEMI LOVATO

NATE MORTON

TODD SUCHERMAN

# REFERENCE SNARE DRUMS

MELVIN BALDWIN JUSTIN BIEBER

THE ULTIMATE STABLE OF SNARES



RFP-14658	
SHELL	6 ply: Maple 4 +Birch 2 FatTone (FH1410/1410S)
HOOPS	FatTone (FH1410/1410S)
LUGS	STL-65
TENSION RODS	SST-5047 Stainless Steel
STRAINER	SR-1000 Glide-Lock Strainer SN-1420D Ultra-Sound "D" type
SNARES	SN-1420D Ultra-Sound "D" type



RF-1465S/	B SIZE 14" x 6.5"
SHELL	20 ply: Maple 14+Birch 6
HOOPS	MasterCast (DC1410/1410S)
LUGS	BRL-65
TENSION RODS	SST-5047 Stainless Steel
STRAINER	SR-1000 Glide-Lock Strainer
SNARES	SN-1420D Ultra Sound "D" type



**RFP-1450S** SIZE 14" x 5" 6 ply: Maple 4 +Birch 2 SHELL HOOPS FatTone Hoops (FH1410/1410S) LUGS STL-55L TENSION RODS SST-5047 Stainless Steel STRAINER SR-1000 Glide-Lock Strainer

SNARES SN-1420D Ultra-Sound "D" type



- RF-1450S/C SIZE 14" x 5" SHELL 20 ply: Maple 14+Birch 6 HOOPS MasterCast (DC1410/1410S) LUGS BRL-55 TENSION RODS SST-5047 Stainless Steel STRAINER SR-1000 Glide-Lock Strainer
- SNARES SN-1420D Ultra Sound "D" type



TENSION RODS SST-5047 Stainless Steel STRAINER SR-1000 Glide-Lock Strainer SNARES SN-1320D Ultra-Sound "D" type



RF-1365S/C SIZE 13" x 6.5" SHELL 20 ply: Maple 14+Birch 6 HOOPS MasterCast (DC1306/1306S) LUGS BRL-65 TENSION RODS SST-5047 Stainless Steel STRAINER SR-1000 Glide-Lock Strainer SNARES SN-1320D Ultra Sound "D" type







MMP-1455S/C SIZE 14" x SHELL 4 ply Maple\*

HOOPS MasterCast (DC1410/1410S) LUGS STL-55 TENSION RODS SST-5055 Stainless Steel STRAINER SR-017 SNARES S-022N

	TOP
5.5"	MPL-1459
	SHELL
	HOOPS
	LUGS
	TENSION BODS

STL-55 STRAINER SR-017 SNARES S-022N



LUGS STL-65

STRAINER SR-017

SNARES S-022N

TENSION RODS SST-5047 Stainless Steel

MPL-1465S/C

- o più mapi	SHELL
S FatTone (F	HOOPS
STL-65	LUGS
SST-5047	TENSION RODS
R SR-017	STRAINER
S-022N	SNARES



220-14223	SIZE 14 X 2
SHELL	6 ply 7.5mm Birch/Kapur
HOOPS	SuperHoop II (SH1410B/1410S)
LUGS	CL-55
TENSION RODS	T-062
STRAINER	SR-017
SNARES	S-022N



## MASTERS + S SNARE DRUMS





SIZE 14" x 5.5" 6 ply Maple 5.4 mm

FatTone (FH1410/1410S)

SST-5055 Stainless Ste



SIZE 14" x 6.5" ole 5.4 mm FH1410/1410S)

Stainless Steel



BCX-1455	S/C SIZE 14" x 5.5"
SHELL	6 ply Birch or Maple (MCX-1455S/C)
HOOPS	MasterCast (DC1410/1410S)
LUGS	CL-55
TENSION RODS	T-062
STRAINER	SR-017
SNARES	S-022N



MCX-1465	S/C SIZE 14" x 6.5"
SHELL	6 ply Maple or Birch (BCX-1465S/C)
HOOPS	MasterCast (DC1410/1410S)
LUGS	CL-65
TENSION RODS	T-061L
STRAINER	SR-017
SNARES	S-022N










Just as each player has an individual voice, snare drums speak differently depending on shell type, size, weight, and application. With the latest Free Floating snare models, Pearl's engineers crafted each to fit a specific task by model. By combining the tonal character of each shell type with its ideally-matched depth - and adding different Ultra-Sound snare wires to further sculpt individual tonal personality - these Task-Specific Free Floating snares give the player a unique voice for any sonic situation.



Featured on all new Free Floating snare models, the Click Lock Throw-Off is engineered with Polymer bearings for precise and smooth action. The unique nylon grip mechanism locks the snares into place at the top position, and disengages quickly when released. (Patent Pending)









• Full, rounded bottom frequencies. Extra midrange body.

FTMMH-14	65 SIZE 14" x 6.5"
	6 ply (7.5mm)*
HOOPS	MasterCast (DC1410/DC1410S)
	FT-65
TENSION RODS	SST-5042
STRAINER	SR-160F
SNARES	SN-1420C



With new sizes and shell types, today's Free Floating snare models are tailored to bring power, clarity, and true articulation to fit nearly any playing environment; and advance the instrument even further for a new breed of players.

• Deep, rich snare power with short, even sustain decay SIZE 14" x 8" FTAL-1480 SHELL 1.2mm Seamless Aluminum HOOPS MasterCast (DC1410/DC1410S) LUGS FT-80

ENSION RODS	SST-5042
STRAINER	SR-160F
SNARES	SN-1442C



• Full-spectrum, both bright in punch and warm in tone. FTBR-1450 SIZE 14" x 5"

JILLL	IIIIII DIASS
HOOPS	MasterCast (DC1410/DC1410S)
LUGS	FT-50
TENSION RODS	SST-5042
STRAINER	SR-160F
SNARES	SN-14201



• Punchy and smooth. A perfect "go-to" snare.

#### SIZE 14" x 5" FTMM-1450

	6 ply (7.5mm) Maple
HOOPS	MasterCast (DC1410/DC1410S)
	FT-50
ION RODS	SST-5042
STRAINER	SR-160F
SNARES	SN-1420



30 years ago, Pearl introduced the Free Floating Snare Drum. A milestone achievement in snare drum evolution, is unique system removes all hardware from the shell to greatly improve the

drum's resonance and projection.

 Ultimate in throaty, deep snare growl. Shortened decay FTMH-1480 SIZE 14" x 8" SHELL 8 ply (10mm) African Mahogany HOOPS MasterCast (DC1410/DC1410S) IUGS FT-80 TENSION RODS SST-5042 STRAINER SR-160F SNARES SN-1442C



FTSS-1435 SIZE 14" x 3.5" SHELL 1mm Stainless Stee

HOOPS	MasterCast (DC1410/DC1410S)	
	FT-35	
TENSION RODS	SST-5035	
	SR-160F	
SNARES	SN-1420D	



nse all Birch shell delivers bri

Donoo un	Billin annoro Bright, opon atao
FTBB-143	5 SIZE <b>14" x 3</b> .
SHELL	6 ply (5.4mm) Birch
HOOPS	MasterCast (DC1410/DC1410S)
LUGS	FT-35
TENSION RODS	SST-5035
STRAINER	SR-160F
SNARES	SN-1420D



SEE AND HEAR ALL 7 HYBRID EXOTIC SNARE DRUM





• Quick, yiel ding snap with heavy r HEP-1450 VectorCast HOOPS SuperHoop II (SH141 106S STI - 100 TENSION RODS SPT-5047 (top) - SST STRAINER SR-1000 SNARES SN-1420C

intalige eventerionee	
SIZE 14" x 5"	HEP
DB/1410S)	
5047 (bottom)	TENSI



#### • Dry, high-pitched crack with little overtone

SIZE 14" x 5" HEAL-1450 SHELL Cast Aluminum: 3mm w/ 2mm R-Rings HOOPS SuperHoop II (SH1410B/1410S) LUGS STL-100 TENSION RODS SPT-5047 (top) - SST-5047 (bottom) STRAINER SR-1000 SNARES SN-14201



EK-1450	SIZE <b>14</b> " x 5"
	6 ply 7.5mm Kapur w/Inner Fiberglass
HOOPS	SuperHoop II (SH1410B/1410S)
	STL-100
ENSION RODS	SPT-5047 (top) – SST-5047 (bottom)
STRAINER	SR-1000
SNARES	SN-1420D

STRAINER SR-1000 SNARES SN-1420D



# HYBRID EXOTIC SNARE DRUMS

#### SPACE-AGE PRECISION, TIMELESS TONE.

To capture sonic perfection for true professional. Pearl's latest experiments with different material combinations have yielded new tonal frontiers in our new Hybrid Exotic Series snare drums. The purest representation of Pearl's finest craftsmanship, Hybrid Exotic shell choices include spun-composite VectorCast™, dual-step seamless Cast Aluminum, and cross-laminated Kapur and Fiberglass, for the ultimate in power and prestige.



ctorCast A single tiny strand can make all the difference in the world. Beginning with a composite material filament and resin thread, Pearl's new VectorCast shell is formed around a mandrel in an X-pattern; creating a thin, high-strength shell that "flexes" with each strike. Its characteristic sound is both lively and fat, and is a vast departure from other synthetics like Acrylic or Carbon Fiber.



Pearl's SR-1000 Glide-Lock Strainer's locking throw-off lever and tension knob assures worry free, slip-free performance from all Hybrid Exotic Snare Drums. (US Patent #7220905 #7301087 #7365256)



maintain tuning tension across the batter head, all Hybrid Exotic snare drums feature Pearl's new Spin-Tight tension rods. This elegantly simple innovation creates a tension rod-within-a-tension rod, that allows the rod to expand and lock into place within the swivel nut. Utilizing a special drum key, tunings can be controlled under high-impact play like never before. (Patent Pending)



• Low, munuerous wanop with ueep, some playability.	
HEK-1480	SIZE <b>14</b> " x <b>8</b> "
	6 ply 7.5mm Kapur w/Inner Fiberglass
HOOPS	SuperHoop II (SH1410B/1410S)
	STL-100
TENSION RODS	SPT-5047 (top) – SST-5047 (bottom)
STRAINER	SR-1000
SNARES	SN-1442D



32 | PEARLDRUM.COM

# SENSITONE PREMIUM SNARE DRUMS

IMMACULATE PERCUSSION





• Bold projection with controlled ring sustain. SIZE 14" x 6.5"

HOOPS SuperHoop II (SH1410B/1410S)



· Bellowing low-end whallop with smooth articulation.





suppres	sed mid-tor	nality.
	SIZE 14"	x 6.5"

HOOPS SuperHoop II (SH1410B/1410S)

#### SensiTone Premium

Engineered for performance perfection, SensiTone Premium snare drums feature a choice of Patina Beaded Brass, Beaded Phosphor Bronze, or even-ply North American Maple shells. With 14" models available in 5" and 6.5" depths, the Premium line's newcomer is the new African Mahogany 15"x5" Baritone snare model, adding an additional voice to the tonal pallet.

SensiTone Premium's selection of refined percussion instruments truly demand a place of prestige, and are sure to be first-call drums for the stage, studio, and beyond.



Pearl's stylish new Arch-Tube Lugs come standard on all SensiTone Premium snares. The low-contact Arch casting includes two self-aligning swivel nuts rather than a contiguous tube. This allows for pristine tuning across the head and reduced margin for binding within the lug. (Patent Pending)



<ul> <li>The Baritor</li> </ul>	e Snare; low-end tone with top-end snap.
STA-1550	1H SIZE 15" x 5"
SHELL	4 ply 5mm African Mahogany*
HOOPS	SuperHoop II (SH1510B/1510S)
LUGS	ARL-55
TENSION RODS	SST-5047
STRAINER	SR-150
SNARES	SN-1520I




# SIGNATURE SNARE DRUMS

CAPTURE THE ELUSIVE SOUND OF YOUR DRUMMING IDOL.





CS-1450	SIZE 14
SHELL	Steel Shell
HOOPS	SuperHoop II (SH1410B/1410S)



FINISH Black Nickel



SHELL 3 mm Brass / 3 mm Steel / 3 mm Brass HOOPS Die Cast (DC-1410/1410S) LUGS FT-65 RODS 10 TENSION RODS SST-5047 Stainless Steel STRAINER SR-1000F SNARES SN-14201 FINISH Clear Lacquer









FIRECRACK

PICCOL

LUGS RODS

SNARES

TENSION RODS

STRAINER

1- 6/1	
FCP-1250	SIZE 12" x 5"
SHELL	8 ply Poplar
HOOPS	1.6mm Steel (RIM1206/1206SL)



LUGS CL-50

SNARES S-032

SNARES S-031N

RODS 6

TENSION RODS T-062 STRAINER SR-018

8 ply Poplar
1.6mm Steel (RIM1206/1206SL)
CL-50
6
T-062
SR-018
S-031





M-TOOO	SIZE IU X D
SHELL	6 ply Maple
HOOPS	SuperHoop II (SH1006/1006S)
LUGS	CL-65
RODS	6
TENSION RODS	SST-5035 Stainless Steel
STRAINER	SR-018
SNARES	S-032N

	M-1270	
8 ply Ma	SHELL	
1.6mm	HOOPS	
CL-100	LUGS	
8	RODS	
SST-504	TENSION RODS	
SR-018	STRAINER	

teel
.6mm St
L-05
055
R-018
-029N
.e





## EFFECT SNARE

#### VERSATILE DRUMS FOR SECONDARY EFFECTS.

1 217



H00PS 1.6mm Steel (RIM1006/1006SL)



SIZE 12" x 7" laple n Steel (RIM1208B/1208S)

047 Stainless Steel




SIZE 13" x 3"

HOOPS 1.6mm Steel (RIM1308B/1308S)



The compact SR-018 Strainer features directpull geometry for crisp and articulate snare response.





## **DEMON DRIVE**

#### **UNLEASH THE DEMON**

The Demon Drive is without a doubt the most thoroughly engineered bass drum pedal the World has ever seen. Lightning fast power and silky smooth finesse make this the choice of some of the most prolific drummers in the world. An amazing array of adjustable features turns this pedal into an extension of your body. From beater angle, traction plate grip, and footboard height and angle, it's all your choice. And when you feel the need for speed the Demon guickly converts to a double pedal with a simple add on pack. Unleash the Demon and find out what custom feel is all about.





The Click-Lock prevents the tension knob from loosening no matter how hard you play. Simply flip up for adjustment. US Patent # 7754953

The Demon Drive beater features a Control Core elastomer center that eliminates unwanted vibration. US Patent # 7626108

Direct Link adjusts for a choice of light or heavy feel. This creates the most seamless link between the player's musical ideas and their execution on a bass drum.

The two position

-30020

P-3002C uble Pedal (shown in shortboard setting)

The Z-Link Drive Shaft features Pearl's exclusive Zero Latency Universal Joints that use precision radial ball bearings and hand-assembled CNC machined frames for zero play and smoothness that allows your slave pedal to respond as quickly and precisely as your primary.

Direct Drive Double Pedal (shown in longboard setting)

> The most unique feature of the Demon Drive pedal is Pearl's exclusive Duo-Deck Footboard, the world's first convertible footboard. Through a simple adjustment, the footboard can be adjusted from a traditional shortboard to a longboard pedal in seconds, offering a slightly lighter, quicker feel that is the preferred setup when speed is a necessity.

U.S. Patent #7626107



The NiNjA Bearings were originally designed by skateboarding engineers. These bearings feature micro-polished steel balls for amazing speed and incredible smoothness.



The "linear-response" Perfect Circle Cam provides consistent and smooth feel throughout the entire stroke for pinpoint accuracy and superb control. The racing-inspired Cam is designed to minimize mass and maximize speed and power transfer.



The Demon Chain Pedal is driven by the ultra-lightweight Power Chain with low-friction rollers for speed, and double chain construction for power and dependability. The orange anodized link plates identify the Demon Chain as a member of the Demon family of pedals.

# ELIMINATOR PEDAL

#### YOUR FEET WON'T FAIL YOU NOW

#### QUADBEATER · U.S. Patent # 5610351

Our QuadBeater provides four different beater surfaces, each with its own distinct sound. You can choose from 2 hard plastic surfaces or 2 felt surfaces and either pinpoint or line contact with the head.

#### **INDEPENDENT TRACTION GRIPS**

PowerShifter Eliminator's Traction Plate footboard insert allows you to remove and reconfigure each individual traction grip to suit your exact playing requirements. From maximum grip to full slide, and every option in between, the choice is yours. The Traction Plate also reverses to focus the slide or grip surfaces to either the toe or heel of the pedal.

#### ZERO PLAY HINGE · U.S. Patent # 7179978

Our stainless steel hinge is manufactured with incredibly precise tolerances to prevent play between the footboard and heel yet provides maximum freedom of motion for blazing speed.



#### SIDE MOUNT HOOP CLAMP

U.S. Patent # 5726370 Easy access to clamp makes djustments super easy.



**CONVERSION KIT** 

The P-2001 Conversion Kit converts single Eliminator pedals into a double. Your existing single pedal becomes the left auxiliary pedal. • P-2001C Chain Drive w/Case P-2001 B Belt Drive w/Case (right footed only)



#### **CHAIN DRIVE** Pearl's sprocket-less double chain drive provides super smooth action with powerful and precise feel. Since there are no teeth, the "grinding" noise common with most chain drive pedals is eliminated making the Eliminator perfect for studio work.



P-2000C: Chain Drive Single Pedal Complete

P-2002C: Chain Drive Double Pedal Complete

Conversion Kit (right footed)

P-2000B: Belt Drive Single Pedal Complete

P-2001C: Chain Drive Double Pedal

P-2002CL: Chain Drive Double Pedal

Complete (left footed)

#### **BELT DRIVE**

Our Belt Drive provides a very comfortable, natural feel similar to a direct drive system. We use an extremely strong, highly durable drive belt, instead of a normal nylon strap, to provide maximum durability, strength, and stretch resistance.

**POWERSHIFTER FUNCTION** 

P-2002B: Belt Drive Double Pedal Complete

P-2001B: Belt Drive Double Pedal Conversion Kit (right footed)

P-2002BL: Belt Drive Double Pedal Complete (left footed)

Our revolutionary PowerShifter function provides 3 positions to fine tune the power and feel of the pedal. By moving the footboard forward or back, you change the chain or belt drive angle, thus changing the leverage to create a light, regular, or strong feel. U.S. Patent #5574237



SEE AND HEAR THE ELIMINATOR. & P-930. P-932 PEDALS

Pearl's P-930 merges many of the advanced features of our Flagship Demon Drive with our Award winning Eliminator line to create a bass drum pedal never before available in this price range. High end performance inspired from our Demon Drive like the longboard footboard, Control Core beater and our Click-Lock spring tension keepers combine with our PowerShifter and Eliminator style cam technology that uses our Perfect Circle cam with a removable Orange Progressive Cam for fully tunable performance and lightning speed and control.

If you want fast feet and you're on a budget, Pearl's P-930 is the ultimate pedal to step up to.

#### CONTROL CORE DUO BEATER U.S. Patent #7626108

Our Control Core Beater utilizes our Control Core elastomer center to minimize vibration. It features 2 unique striking surfaces, a slightly rounded felt and a slightly convex hard plastic surface.

#### **POWERSHIFTER FUNCTION** U.S. Patent #5574237

Our PowerShifter function provides 2 positions to fine tune the power and feel of the pedal. By moving the footboard forward or back, you change the chain angle, thus changing the leverage to create a light, or strong feel.

> 2 POSITION POWERSHIFTER FUNCTION

P-930: Single Pedal Complete P-932: Double Pedal Complete (right footed) P-931: Double Pedal Conversion Kit (right footed) P-932L: Double Pedal Complete (left footed)



What's better than double the speed, power and control of our P-930? Nothing. The P-932 Demon Deuce gives the gift of amazing feet for a fraction of the cost of other "less innovative" pedals.

## P-930 PEDAL

#### **SPEED & CONTROL FOR THE MASSES**

INTERCHANGEABLE CAM TECHNOLOGY

INFINITE BEATER ANGLE ADJUSTMENT

**CONTROL CORE BEATER** 

**BEATER HEIGHT** ADJUSTMENT

> CLICK LOCK SPRING TENSION



Lean



The Orange Progressive Cam can be removed to reveal the Perfect Circle for further tunability to match your playing style. U.S. Patent #6172291



Click-Lock spring tension maintains perfect tension gig after gig. Set it and forget it. U.S. Patent #7754953

# **HI-HAT STANDS**

THE BIGGEST ADVANCEMENT IN TIME KEEPING SINCE THE WRISTWATCH.





Tension Dial allows absolute

perfect tension control for

response.

The H-2000 features our The H-2000 Precision Spring slip-proof Super Grip Clutch with patented lock nut. The pivoting seat cup provides a the ultimate in fine-tunable stable platform for the bottom cymbal for improved control and consistency.

U.S. Patent #7326843 & #7078606



Like all Eliminators, the pedal has removable traction grip inserts that can be adjusted or removed to tailor the amount of grip or slip. The plate is even reversible for more choices.



The HA-130 positions your hi-hat next to your bass pedal in double bass set-ups for super quick transitions between pedals.

#### H-2000

- SuperGrip Clutch (U.S. Patent #7326843)
- Hi-Hat Cup
- (U.S. Patent #7078606)
- Swiveling Legs
- Precision Spring Tension Dial
- PosiLink Twin Cam Drive System
- with Interchangeable Cams
- (U.S. Patent #6399866)
- Traction Plate Footboard Convertible Spike/Rubber Feet
- (U.S. Patent #7371953)
- Footboard Docking Station
- (U.S. Patent #7371952)
- PowerShifter



- Drop Clutch
- (U.S. Patent #7326843)
- Hi-hat Cup
- (U.S. Patent #7078606) Precision Spring Tension Dial
- PosiLink Twin Cam Drive System
- with Interchangeable Cams
- (U.S. Patent #6399866)
- Traction Plate Footboard
- Reversible Spike/Rubber Feet
- PowerShifter
- Drop Clutch Included

 Direct Pull Drive System Infinitely Adjustable Footboard Angle Double Braced Tripod w/ Swivel Function Spike/Rubber Tips Clutch w/Lock Nut (U.S. Patent #7326843)

10

H-1000

- Spring Tension Dial
- Hi-hat Cup

#### (U.S. Patent #7078606)



H-1000 Series Pedal Height Adjustment

H-1000 Hi-Hat Stand

The 2000 Series shares many of the key characteristics of its sibling, the Eliminator drum pedal, including the Interchangeable Cam System, the first of its kind on any hi-hat stands. The whole concept of the Eliminator system creates an experience of unmatched versatility and responsive action. The customizable footboard with full control over slip and grip allows the Eliminator to adapt to your style of playing like no other hi-hat stands you have ever played.

The RH-2000 Remote Hat combines the H-2000 Eliminator Hi-Hat stand's PosiLink Twin Cam drive system with a third-generation low-friction cable to produce the smoothest, lightning-fast, natural feeling remote hat in the world. Teamed with our ICON Rack System, the RH-2000 can be placed virtually anywhere or facilitate multiple hi-hat setups.



our infinitely adjustable footboard angle adjustment. This allows precise height matching when using multiple pedal setups.

uses beefy 1" tubing and clamshell clamps with built in memory locks for superior rigidity.



H-930 Hi-Hat Stand

H-830 Hi-Hat Stand

H-930 Hi-Hat Stand features our Demon style longboard, double braced tripod w/swivel function, and precision tension dial.

H-830 Hi-Hat Stand is standard equipment with our Export series and offers a monochromatic Demon Style longboard design and swivel tripod.

# **SNARE STANDS**

#### EVERY SNARE SHOULD BE SO LUCKY.

Every gig is different, and so is every snare drum. But no matter the gig or the snare drum, we have a stand to accommodate both.

#### S-1030

GyroLock tilter

#### • Air suspension Rubber Tips

- (IIS Patent #6710236)
- Trident Tripod
- Oversize super grip
- rubber feet
- Fits snares 10"-16"
- Height range of 470-660mm

Suspension cradle.

#### S-930 Uni-Lock tilter

Our premiere S-1030 model offers chameleon like diversity for

stage or studio. Rock solid footing with a GyroLock tilter that

allows pinpoint positioning. The basket arms adjust to fit snares

from 10" to 16" while promoting optimal resonance with its Air

#### • Air suspension Rubber Tips

- (U.S. Patent #6710236)
- Double braced Trident Style tripod
- Fits snares 10"-14"
- Height range of 450-630mm

S-1030 SNARE STAND GYROLOCK

Our premier S-1030 model features Pearl's 360

degree infinitely adjustable GyroLock tilter for

Our CVT-300/3 Push Button Spiked/Rubber Feet

come in pack of 3 to retrofit on any of our 1030

Series hardware for sure-footed performance on

of-use and pinpoint positioning

**SPIKED / RUBBER FEET** 

any terrain, U.S. Patent #7371953

- S-930D
- Drop Basket for deeper snares
- Uni-Lock tilter
- Air suspension Rubber Tips (U.S. Patent #6710236)
- Double braced Trident Style tripod
- Fits snares 10"-14"
- Height range of 360-540mm
- The S-930 offers similar features but uses our legendary Uni-Lock tilter and is also available as a drop basket version.

Our S-830 model is standard equipment with our all new Export line. Lightweight, yet rigidly strong, it's perfect for the local gig and makes load in at the club a breeze.

#### S-1030 SNARE BASKET

S-830

Uni-Lock tilter

Double braced tripod

Height range of 430-620mm

• Fits snares 13"-14"



### while allowing them to fully resonate. U.S. Patent-#6710236 S-930D SNARE BASKET

The S-930D Snare Stand is a shorter version of the S-930 Snare Stand, and is built to comfortably e deeper snare drums

The Pearl S-1030 Snare Stand adjusts to fit virtually

any size snare from 10" to 16". The Air Suspension rubber tips securely cradle your prized snares Next to your drums your throne could be your most important piece of gear. A great throne will prevent fatigue, promote great form and posture to keep you going for those second and third encores night after night. Our thrones offer advanced ergonomic design, sturdy wide footprints for stability and a wide selection of cushion tops to provide your desired level of softness or firmness.



### D-2500BR

D-2500

Motorcycle-style cushion

Reversible Stoplock collar

Height range of 495-665mm

Accepts backrest

- Motorcycle-style cushion Detachable backrest
- mounts via single knob
- with adjustable spring tension Reversible Stoplock collar
- Reversible stoplock • Height range of 495-665mm

**D-1000SPN** 

Round vinyl cushion

Built in shock absorber post

- Height range of 525-630mm

D-930



#### D-790

 Round vinyl cushion Double braced legs Height range of 470-660mm Round vinyl cushion





# **DRUM THRONES**

#### SOUND ERGONOMICS.



D-2500 and D-1000 Series Thrones are equipped with Pearl's exclusive Lock/Spin System. By reversing the StopLock, the cushion can be locked to prevent turning or allowed to spin depending on your preference.



The D-1000SPN Series features a firm vinyl covered cushion and a shock absorbing post for outstanding comfort, along with adjustable spring tension for customizable support.





The Height Collar features a hinged Stop Lock and vise-like clamshell design for non-slip security.

D-1000SN (Not shown) Same as below but in a "short" version 455-625mm



 Round vinyl cushion Reversible stoplock Height range of 495-665mm



Height range of 450-650mm

- D-730S
- Round vinyl cushion Single braced tripod
- Height range of 400-580mm

# BOOM + STRAIGHT CYMBAL STANDS

#### WELCOME TO BOOM TOWN.

Pearl's BC-2030 features patent pending Nodal Point Markings on the telescopic tubes that allow cymbals to achieve better clarity and sustain when the tubes are positioned at their respective Nodal Points

Your hardware has to work as hard you do. Some times it's what separates good drummers from great. Our hardware is road ready and street wise. Strong, rigid and durable yet incorporating sophisticated refinements and innovations. Our BC-2030 is the most technically advanced boom stand ever devised. It's perfect for the studio musician and offers an unbelievable range of positioning for your prized cymbals.



Constant practice, tear 'em down throw 'em in the back of your ride, load 'em in at the gig. Abuse 'em a couple of hours on stage then start all over again. Those clamps and tilters take a lot of abuse that's why Pearl is the choice of the serious working drummer. We've been advancing drum hardware since 1946 so if you're serious about drumming, get serious about your hardware.





GyroLock Tilters are infinitely adjustable and provide 360 degree range of motion for precise positioning with one-step convenience.



The Trident Tripod uses a full 360° of clamping force via the hinged collar. The inner tube rests in a nylon bushing to prevent metal to metal contact. Heavy duty legs feature lateral bracing for superior ultra quiet rigidity.

WingLoc (U.S. Patent # 6884015) Pearl's WingLoc Quick Release Wing Nut snaps open and snaps closed for super quick removal and attachment.

Reversible Seat Cup (U.S. Patent #6940006) The seat cup is specially designed to "float" normally or it can be reversed and "locked" to prevent noise during recording.





The C-830 offers lighter weight while incorporating many of the 1030 series designs. The tripod uses Trident style design with double braced legs. Large easy to use wingnuts and lateral struts for optimal stability.

#### FOR EVERY CYMBAL, THERE IS A PLACE.

Nothing takes more abuse than your cymbal stands.



The Clamshell designed Die Cast joint on 2030, 1030, 930 series Boom and Straight cymbal stands, provides superhuman clamping force. Set your position, lock it down and wail away.

# RACKS + TOM STANDS /ARMS

AN INDUSTRY ICON - THE PROFESSIONAL'S CHOICE.







PCX-200 pipe clamp

Tilting Clamp System

w/ Adjustable Jaw

PC-8 pipe clamp


fits 7/8" tubes, for DR-80





DR-501E ICON ICON LEG for DR-503C - Right DR-100L left also available EXPANSION BAR EXPANSION BAR









\*Stands & Tom Arms not included









PCX-100 pipe clamp

Clamp System w/ Adjustable Jav



TH-1030 TOM ARMS

Pearl's Tom Arms offer positioning possibilities never before attainable. Our T/TC-1030 Series features our GyroLock tilter for an infinite 360 degree range of movement. The T/TC-930 Series use our Uni-Lock tilter for 180 degrees of motion. Our TH-88 and TH-70 Tom Arms Series use our dependable gear tilter.

# SIGNATURE CONGAS + BONGOS

#### THE PROS PLAY PEARL!

unnunnunnunnunnunnunnunnun 🕷



ELITE FIBERGLASS CONGAS PCF-110DXA 11" QUINTO PCF-117DXA 11.75" CONGA PCF-1250XA 12.5" TUMBA



MTSU

CONGA LEGEND

THE ROOTS

## PEARL CONGAS



Pearl has congas to meet the needs of every player from seasoned professionals to beginners. Our Elite Series offers the highest quality heads with polished Contour Crowns and a choice of shell materials: 100% aged Thai Oak or seamless Fiberglass. Our Primero Pro line features professional-quality construction at an affordable price and a choice of 100% Thai Oak or Fiberglass. The Primero line features outstanding Pearl quality along with the same choice of 100% Thai Oak or Fiberglass. Pearl's Signature Congas feature Contour Crown Rims, polished chrome hardware, and exclusive Self-Aligning Washer System for truly optimal performance. Each series is offered with matching Bongos, and is available in 100% Thai Oak or seamless Fiberglass shells.



of these high end, fiberglass drums produce deeper low tones and greater volume. Contour Crown and rims natural skin heads give you clear highs and cutting slaps.



SHAKIRA

The stunning Liquid Gold finish and chrome plated hardware completes a set of drums you can love forever.

**HAVANA BONGOS** 7" & 9" Havana Bongos PBF-300HV644 #644 Liquid Gold

THE DEREK TRUCKS BAN

HAVANA CONGAS PCF-110HV644 11" Havana Quinto PCF-117HV644 11.75" Havana Conga PCF-125HV644 12.5" Havana Tumba

ORCHESTRA TOBACO Y RON

SATURDAY NIGHT LIVE



UMPHREYS MCGEE

JAY-Z

THE LION KING



FIELD PERCUSSION CONGAS PFC202EDU649 10" & 11" Congas #649 Textured Black

Pearl Travel Congas are available in three standard sizes:

11" x 3.5", 11.75" x 3.5" and 12.5" x 3.5". They feature wood shells and stave construction and Remo FiberSkyn 3 synthetic heads. Five precision Allen bolts provide accurate and easy tuning via

the included foam-handle wrench. The Travel Conga stand is designed specifically to be rock solid, and lightning fast during set-up and pack-up. The stand comes with a carrying bag that includes a pocket for the optional PPS-50TC Bridge that connects two stands together to minimize creeping while performing.



PTC-1100 11" TRAVEL CONGA PTC-1175 11.75" TRAVEL CONGA PTC-1250 12.5" TRAVEL CONGA PSC-1175TC Travel Conga Bag

PC-1100TC STAND FOR 11" w/ CARRYING BAG PC-1175TC STAND FOR 11.75" w/ CARRYING BAG PC-1125TC STAND FOR 12" w/ CARRYING BAG **PPS-50TC STAND BRIDGE** 

RRFS LOS LONELY BOYS

APE EMINEM / RIH





small acoustic settings or larger amplified venues. 100% Birch construction provides exceptional resonance that speaks clearly through the frontward facing bass port This Box Bocks!



resonant Artisan Walnut front plate. This beautiful cajon really has the deep bass and punchy snare crack you need to Pearl emulate a drum set

USX

100% Birch body with three isolated plaving zones that simulate snare, bass and tom sounds The backwards tilted front plate provides a comfortable

playing position.

Pearl US.

resemble the exhaust on a classic hot rod and delivers the same low end rumble The 100% Birch body has a premium grain natural 🕚 🌒 finish

**Dual Rear-Firing Ports** 



## **2 FACE CAJON**

This professional wood cajon with fixed snares has a 3mm thick face for a tradtional low pitch and a 5mm thick face for a distinct higher pitch.

#512 Sheer Black

#### **BRUSH BEAT CAJON** PCJ-633BT

Fiberglass construction with textured surface that responds well to brushes and other effects. Ported in rear.

Black and White Flnish

## **JINGLE CAJON**

This Fiberglass cajon features built in Platinela and tambourine jingles that can be engaged for incredible sound with fixed snares.

#629 Carubinga finish

#### FUN BOX CAJON PFB-300

Help your child develop proper playing mechanics while playing this smaller kid-friendly size caion. Durable Fiberglass construction finished in bright Yellow



#### CAJON ACCESSORIES

Pearl's line of cajon accessories allow you to enhance your performance by adding dynamic new sounds. Jingle Cups can be added to the face of any Cajon or even to acoustic guitars and other drums. The new Cajon Clave and Wood Blocks attach to your cajon using the provided 3M Dual-Lock Tape or can be played hand-held or stand mounted. The new Cajon seat cushion adds comfort for long sessions.



CAJH-100 Cajon Holster Nylon w/ Velcro Straps



PSC-BC Seat Cushion w/ Thick Foam for Comfor

#### PBCW-100 Wood Block w/ Dual-Lock Tape & Mounting Bracket

(PPS-37 Not Included

#### P.ICP-1/ Jingle Cup Two Pack

#### PBCC-100

Clave Block w/ Dual-Lock Tape & Mounting Bracket (PPS-37 Not Included)

đ



BUILD THE RIGHT RIG FOR THE GIG!

MARC QUIÑ

#### IMBALES



PTS-5134 PRIMERO TIMBALES 13" / 14" Steel w/ Tilting Stand (Stands & Cowbell included)

SAMMY GARCIA

INDEPENDENT



PTE-1415DX PRIMERO PRO TIMBALES 14" / 15" Steel w/ Tilting Stand (Sticks included. Cowbell not included. Not available in Europe)

CARLITO SOTO

WILLIE COLON

MARCO "ITO" ARGUINZONI

TITO NIEVES



ETE-1415MQ Marc Quíñones signature timbales 14" / 15" Steel w/ Tilting Stand and PBL-30 Clave Block (Cowbell not included)

PTE-1336

PTE-313I FLAT TIMBALE w/ I.S.S. (Steel)

PTB-313I

FLAT TIMBALE

w/ I.S.S. (Brass)

PRIMERO 13" STEEL TIMBALE w/ PPS-36 Mount



BANDA SERIES



PBTM-1516/C BANDA TIMBALES 15" / 16" Steel w/ Tilting Stand



PBTB-2418/C33 BANDA TAMBORA 24" x 18" Bass w/ Cymbal Mount, Stand & Mallet













JOSE ROSA MIAMI INDEPENDENT

# DJEMBES + FOLKLORIC PERCUSSION

#### ANCIENT INSTRUMENTS FOR THE MODERN PERCUSSIONIST.

**DJEMBES** • Djembes are a traditional African instrument that offer a wide variety of sounds and are perfect for drum circles. The Professional Elite Series is available in Oak (12.5" diameter) and Fiberglass (12.5" and 14" diameter). All feature our Contour Crowns for comfortable playing and authentic Goat skin heads for deep lows and crisps highs.



EZ TUNE DJEMBE

12.5" (OAK)

#533 Gloss Black

DJEMBASS • If you want extreme low-end, and

a head-turning alternative to a standard bass drum, look no further than to Pearl's DiemBass.

Convert our most popular PJF-350 Fiberglass Diembe into a compact kick drum with the DjemBass accessory pack. To reduce the attack and add greater "lows" we have included a cloth cap that stretches around the head. For greater

low-end, slip the included neoprene disc inside

which give you two sound options. Your pedal

(not included) attaches via an I.S.S. type clamp

to the Djembe's stand mounting plate.

EZ TUNE DJEMBE

14" (OAK)

#533 Gloss Black





P.IBS-350

DJEMBASS

PJF-350FP649 FIELD PERCUSSION DJEMBE 14" (FIBERGLASS) #649 Textured Black Remo NuSkvn Heads



ELITE OAK DJEMBE 12.5" #511 Natural (Not available in Europe)



PJF-350 14" PJF-320 12.5" ELITE FIBERGLASS DJEMBE #602 Bistre Black (Not available in Europe)

FIBERGLASS FUN DRUM



FOLKLORIC ELITE CONGAS • Pearl's line of Folkloric congas feature a traditional look with modern innovation that only Pearl can deliver. Each 28" tall Oak conga is designed for the "seated" player, but is pre-drilled for stand mounts if necessary. Thicker South American style natural skins makes the drums warm sounding, but a fiberglass gel coat on the interior seals the shell and adds the projection and volume desired by today's players. Four Polished Steel Reinforcing Bands are inset on the shell for a smooth touch, and the traditional hoops complete these stunning instruments in a Matte Crimson Sunrise finish. The 7 & 8.5" Oak Bongos have the same hardware and shell features of the congas. The thicker bongo skins add to the projection and "dry" tone reminiscent of that classic Cuban sound.





BATAS • Pearl Percussion Bata drums are available in Crimson Sunrise, the same beautiful finish featured on our Folkloric Elite congas and bongos. Additionally, the hardware is finished in Polished Steel and matches the hardware on our other tunable hand drums. These sacred ceremonial instruments have a thicker Enu (large) head for a deep, rich tone.



Pearl quality to the traditional Samba musician. Our Repinique features lightweight yet sturdy steel shells with etched heads, shoulder straps shoulder with the provided strap. Available in 18"x22", 20"x18" and for two-handed sonic options.





# **HAND PERCUSSION**

MARINA MARINA


WHICH THE INTER




#### **PERCUSSION STANDS & BRACKETS**

The PC-3000TW stand holds full size professional congas as securely as most stands double its weight and mass. The PC-300W is scaled down to support our lighter Primero Conga line-up. Both stands set-up in seconds because there are no wingnuts needed













## **PERCUSSION ST BAGS + HOLDERS**

## REPLACEME PARTS

#### ULTRA-SOUND SNARES

Pearl's Ultra-Sound snares feature pate Graduated Tension wires for extended dynamic ran from ultra soft to ultra loud. Ultra-thin, low mass plates assure ultra quick response. The end pla feature three mounting options: tunnels or holes cord mounting and slots for straps. US.PAT.7202405

	20 / 1	20 / D	20 / C	
	0	*		
SN-1320C	20 stra	nds for 13"	, C-type, w/s	traps & cord
SN-1320D	20 stra	nds for 13"	, D-type, w/s	traps & cord
SN-13201	20 stra	nds for 13"	, I-type, w/st	aps & cords
SN-1420C	20 stra	nds for 14"	, C-type, w/s	traps & cord
SN-1420D	20 stra	nds for 14"	, D-type, w/s	traps & cord
SN-14201	20 stra	nds for 14"	, I-type, w/st	aps & cords
42/1		42 / D		42 / C
No. de		<u>0,-00</u>		<u> </u>
SN-1442C	42 stra	ands for 14	, C-type, w/s	straps & cord
SN-1442D	42 stra	ands for 14	', D-type, w/s	straps & cord
SN-14421	42 stra	ands for 14	, I-type, w/st	raps & cords

#### **REPLACEMENT SNARES**

	SPS-18/6 SNC-40/6 SNC-40/6 SNC-40/6 S-040
S-022N	20 Strand for 14" w/Cords
S-022NU	20 Strand for 14" w/Cords, Uncoated
S-022	20 Strand for 14" w/Straps
S-025	20 Strand for 14" long, w/Straps
S-029N	20 Strand for 13" w/Cords
S-030N	24 Strand for 14" w/Cords
S-031N	20 Strand for 12" w/Cords
S-032N	12 Strand for 10" w/Cords
S-033N	12 Strand for 12" w/Cords
S-040	15 Strand for 14" w/Cords, Steel Cable, Thinner Gauge
S-041	15 Strand for 14" w/Cords, Bronze Cable, Thicker Gauge
SPS-18/6	Plastic Strap (6/pkg)
SNC-40/6	Snare Cord (6/pkg)

#### **OPTI-LOC**



Opti-Loc suspension tom holders provide exceptional stability while greatly improving resonance and sustain. (For EXX / EXL Export)

HPP-2

NP-01

NP-347/2

OPL-0608/C Opti-Loc for EXX (only) 6"-8" Diameter OPL-1216/C Opti-Loc for EXX (only) 12"-16" Diameter

58 PEARLDRUM.COM

to the tom's ten cushions, provi while allowing th	Suspension Syst sion rods and floa ding the ultimate he drum to resonate h OptiMount, the npletely n the riding a ment in sustain.	em attaches tts on rubber e in stability e fully without	OPT-0708 0	Т-0910 0РТ-1112	OPT-	1314 OPT-1516		The BBC- holes BB-3 have BBC-1 GK-90 SPIN Spec to m Spin- rods
OPTA-0910/C for drur OPTA-1112/C for drur OPTA-1314/C for drur OPTA-1516/C for drur OPTA-1516/C for drur	ms 9°-10° deep, 6°-16° di ms 11°-12° deep, 6°-16° di ms 13°-14° deep, 6°-16° d ms 15°-16° deep, 6°-16° d ASTHOOPS	neter, Light Weight Aluminum ameter, Light Weight Aluminum liameter, Light Weight Aluminum liameter, Light Weight Aluminum liameter, Light Weight Aluminum Science and the second second second Science and the second seco	0- <u>0-0-0-0</u> -0	and the second	p, 8"~16" diamet ep, 8"~16" diame ep, 8"~16" diame ep, 8"~16" diame	ter, UltraGrip Wingnut eter, UltraGrip Wingnut eter, UltraGrip Wingnut		K-180
	していていていていてい	and focus of toms and			FatTone ho	and engraved with pops are low mass welded edges for	3383 B	SPT-6F
to improve the snare drums.	していていていていてい	and focus of toms and	1.6mm		FatTone ho			SPT-6P
snare drums.	Diameter	# of Tension	1.6mm	hoops with hem	FatTone ho	pops are low mass welded edges for		Pearl forge exact smoo Each tensio precis
snare drums.			1.6mm	hoops with herr and rigidity.	FatTone ho	pops are low mass welded edges for		Fearl Forge exact smoot Each tensic precis nut for SST-50
snare drums.	Diameter 8"	# of Tension 5	1.6mm strength	hoops with herr and rigidity.	FatTone honored and	bops are low mass welded edges for FatTone Hoops # of Tension 4		Pearl forge exact smoo Each tensic precis nut fo
Snare drums.	Diameter           8"           10"           12"           13"	# of Tension 5 6 6 6 6	1.6mm strength	hoops with herr and rigidity.	FatTone hone hone hone hone hone hone hone h	bops are low mass welded edges for FatTone Hoops # of Tension 4 5		Pearl forge exact smoo Each tensie preci nut fo SST-50 SST-50 SST-50
Snare drums.	Diameter           8"           10"           12"           13"           14"	# of Tension 5 6 6 6 8	1.6mm strength	hoops with herr and rigidity.	EatTone hone hone hone hone hone hone hone h	exposes are low mass welded edges for FatTone Hoops # of Tension 4 5 6		Pearl forge exact smoo Each tensic precia nut fo SST-50 SST-50 SST-50 SST-50 SST-50
Snare drums.	Diameter           8"           10"           12"           13"           14"           14"	# of Tension 5 6 6 6 8 8 Snare Side	1.6mm strength Strength Strength Strength Strength Strength Strength Strength Strength Strength Strength Strength	hoops with herr and rigidity.	EatTone hone hone hone hone hone hone hone h	exposes are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 Snare Side		Pearl forge exact smoo Each tensic precia nut fo SST-50 SST-50 SST-50 SST-50 SST-50
snare drums.           Model #           DC-0805           DC1006           DC-1206           DC-1306           DC-1408           DC-1410	Diameter           8"           10"           12"           13"           14"           14"           14"	# of Tension           5           6           6           8           8 Snare Side           10	1.6mm strength Strength Strength Strength Strength Strength Strength Strength Strength Strength Strength Strength Strength	hoops with herr and rigidity.	EatTone hone hone hone hone hone hone hone h	exposes are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 Snare Side 6		Pearl forge exact smoo Each tensic precia nut for SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50
Snare drums.	Diameter 8" 10" 12" 13" 14" 14" 14" 14"	# of Tension 5 6 6 6 8 8 Snare Side 10 10 Snare Side	1.6mm strength strength Strength Strength Strength Strength Strength Strength Strength Strength Strength Strength Strength Strength	hoops with herr and rigidity.	EatTone hone hone hone hone hone hone hone h	exposes are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 5 6 6 5 6 8		Pearl forge exact smoo Each tensic precia nut for SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50
snare drums.	Diameter           8"           10"           12"           13"           14"           14"           14"           14"           14"           14"           14"           14"           14"           14"           14"           14"           14"           14"           14"           14"           14"           14"           14"	# of Tension 5 6 6 6 8 8 Snare Side 10 10 Snare Side 10 Snare Side	1.6mm strength strength Strength Super Hoop Model # SH-0604 SH-0805 SH-1006 SH-1006 SH-1006 SH-1208 SH-1208	hoops with herr and rigidity.	EatTone hone hone hone hone hone hone hone h	bops are low mass welded edges for		Pearl forge exact smoo Each tensic precia nut for SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50
snare drums.           Model #           DC-0805           DC-1006           DC-1206           DC-1306           DC-14008           DC-1408           DC-14105           DC-14105           DC-141056           DC-1508	Diameter           8"           10"           12"           13"           14"           14"           14"           14"           14"           14"           14"           14"           15"	# of Tension 5 6 6 6 8 8 Snare Side 10 10 Snare Side 10 Snare Side 10 Snare Side 10 Snare Side	1.6mm strength Strength Super Hoop Model # SH-0604 SH-0605 SH-1006 SH-1006 SH-1206 SH-1208 SH-1208 SH-1208 SH-1208 SH-1208	hoops with herr and rigidity.	EatTone ho nmed and Diameter 6" 8" 10" 10" 12" 12" 12" 12" 12" 13"	bops are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 Snare Side 6 8 8 Snare Side 6 8		STA Pearl forge exact smoo Each tensii preci nut fo SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50
snare drums.           Model #           DC-0805           DC-1006           DC-1206           DC-1306           DC-1408           DC-1408           DC-14105           DC-141056           DC-1508           DC-1608	Diameter           8"           10"           12"           13"           14"           14"           14"           14"           14"           14"           16"	# of Tension # of Tension 5 6 6 6 6 8 8 8 Snare Side 10 10 Snare Side 10 Snare Side	1.6mm strength strength Super Hoop Model # SH-0604 SH-0605 SH-1006 SH-1006 SH-1208 SH-1208 SH-1208 SH-1208 SH-1306 SH-1308	hoops with herr and rigidity.	EatTone hone hone and	bops are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 Snare Side 6 8 8 Snare Side 6 8 8 Snare Side 6 8		STA Pearl forge exact smoo Each tensii preci nut fo SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50
snare drums.           Model #           DC-0805           DC-1006           DC-1206           DC-1306           DC-14008           DC-1408           DC-14105           DC-14105           DC-141056           DC-1508	Diameter           8"           10"           12"           13"           14"           14"           14"           14"           14"           14"           14"           14"           15"	# of Tension 5 6 6 6 8 8 Snare Side 10 10 Snare Side 10 Snare Side 10 Snare Side 10 Snare Side	1.6mm strength Super Hoop Model # SH-0604 SH-0605 SH-1006 SH-1006 SH-1006 SH-1208 SH-1208 SH-1308 SH-1308	hoops with herr and rigidity.	EatTone hone hone and	bops are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 Snare Side 6 8 8 Snare Side 6 8 8 Snare Side 6 8 8 Snare Side		Pearl forge exact smoo Each tensic precia nut for SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50
snare drums.           Model #           DC-0805           DC-1006           DC-1206           DC-1306           DC-1408           DC-1408           DC-14105           DC-141056           DC-1508           DC-1608	Diameter           8"           10"           12"           13"           14"           14"           14"           14"           14"           14"           16"	# of Tension # of Tension 5 6 6 6 6 8 8 8 Snare Side 10 10 Snare Side 10 Snare Side	1.6mm strength Super Hoop Model # SH-0604 SH-0805 SH-0805 SH-1006 SH-1006 SH-1208 SH-1208 SH-1208 SH-1308 SH-1308 SH-1308 SH-1308 SH-1308	hoops with herr and rigidity.	EatTone hone hone hone hone hone hone hone h	bops are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 Snare Side 6 8 Snare Side 6 8 Snare Side 8 Snare Side		Pearl forge exact smoo Each tensic precia nut for SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50
snare drums.           Model #           DC-0805           DC1006           DC-1206           DC-1408           DC-1608           DC-1608           DC-1608	Diameter           8"           10"           22"           33"           14"           16"           18"	# of Tension 5 6 6 6 8 8 Snare Side 10 Snare Side	1.6mm strength Streng	hoops with herr and rigidity.	EatTone hone hone and	bops are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 Snare Side 6 8 8 Snare Side 6 8 8 Snare Side 6 8 8 Snare Side		Pearl forge exact smoo Each tensic precia nut for SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50 SST-50
snare drums.           Model #           DC-0805           DC1006           DC-1206           DC-1408           DC-1608           DC-1608           DC-1608	Diameter           8"           10"           22"           33"           14"           16"           18"	# of Tension # of Tension 5 6 6 6 6 8 8 8 Snare Side 10 10 Snare Side 10 Snare Side	1.6mm strength Super Hoop Model # SH-0604 SH-0805 SH-0805 SH-1006 SH-1006 SH-1208 SH-1208 SH-1208 SH-1308 SH-1308 SH-1308 SH-1308 SH-1308	hoops with herr and rigidity.	EatTone hone hone hone hone hone hone hone h	bops are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 Snare Side 6 8 8 Snare Side 6 8 8 Snare Side 8 8 Snare Side 8 8 Snare Side 8 8 8 Snare Side 8 8 8 Snare Side 8 8 8 Snare Side 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		Pearl forge exact smoo Each tensii precii nut fo SST-50 SST-50 SST-50 SST-50 SST-50
snare drums.           Model #           DC-0805           DC1006           DC-1206           DC-1408           DC-1608           DC-1608           DC-1608	Diameter           8"           10"           22"           33"           14"           16"           18"	# of Tension 5 6 6 6 8 8 Snare Side 10 Snare Side	1.6mm strength strength Streng	hoops with herr and rigidity.	FatTone hone hone and	bops are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 Snare Side 6 8 8 Snare Side 6 8 8 Snare Side 6 8 8 8 Snare Side 8 8 8 Snare Side 8 8 8 8 8 8 8 8 8 8 8 8 10		Pearl forge exact smoot Each tensii preci nut fo SST-50 SS
snare drums.           Model #           DC-0805           DC1006           DC-1206           DC-1408           DC-1608           DC-1608           DC-1608	Diameter           8"           10"           22"           33"           14"           16"           18"	# of Tension 5 6 6 6 8 8 Snare Side 10 Snare Side	1.6mm strength strength Streng	hoops with herr and rigidity.	EatTone hone hone and	bops are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 8 8 8 Snare Side 6 8 8 8 Snare Side 6 8 8 8 Snare Side 8 8 8 Snare Side 8 8 8 Snare Side 8 8 8 Snare Side 8 8 8 10 10 Snare Side		Pearl forge exact smoo Each tensic precis nut fo SST-50 SST-50
snare drums.           Model #           DC-0805           DC1006           DC-1206           DC-1408           DC-1608           DC-1608           DC-1608	Diameter           8"           10"           22"           33"           14"           16"           18"	# of Tension 5 6 6 6 8 8 Snare Side 10 Snare Side	1.6mm strength strength Streng	hoops with herr and rigidity.	EatTone homed and	bops are low mass welded edges for FatTone Hoops # of Tension 4 5 6 6 8 8 8 8 Snare Side 6 8 8 8 Snare Side 6 8 8 8 Snare Side 6 8 8 8 Snare Side 8 8 10 10 Snare Side 10 5 10 Snare Side 4 10 5 10 Snare Side 4 10 5 5 6 8 8 8 10 10 5 10 5 10 5 10 5 10 5 10 5		Pearl forge exact smoo Each tensik precia nut fo SST-50 SS



NP-347/2

Metal Hoop Protector for Wood BD Hoops

Non-Slip Hoop Protector for Wood BD Hoops (pair)

Hoop Protector for Metal BD Hoops


	-36656566	MASKING C	OVERS
	282835526	The GK-90 a	ind
	222222222	BBC-1 cover t	the
	8888888	holes of BT-3 a	ind
	25253322	BB-3 brackets th	hat
	323333333	have been remove	ed.
	33323323	GK-9	0
	38333333	<b>1</b>	
	2222222222		
A.	5555553	BBC-1	for BB-3, w/Gasket, S
-	*******	GK-90	for BT-3, inside/outside
	66666666		
1	333333333	SPIN-TIGHT	™ TENSION F
	2222222222	1310101010101010	X X X X X X X X X
	*******		d stainless steel tens
	122222222	Spin-Tight Tensi	on settings. Starter
	75333333	rods with K-1	
	£3333283	Drum Key.	
	64444649	2000000000	
	6444444	K-180	
	8444443	Q	
2	66666666	30	
$\circ$	38888683	a a	20
	******	all a	112
	******		
-	42332333	SPT-5047 SPT-4SPK	W7/32 x 47mm (1) W7/32 x 47mm (4) w
h	*****	SPT-6PK	W7/32 x 47mm (4) W7/32 x 47mm (6)
s or	2222222	222222222	888888888
л	70-2000-07		
	46466666	STAINLESS S	STEEL TENSIC
2		2000000000	~~~~~~~~
		Pearl's Stainless S	Steel Tension Rods a
		Pearl's Stainless S forged, from a sing	Steel Tension Rods a gle piece of stainless
		Pearl's Stainless S forged, from a sing exacting tolerance	Steel Tension Rods a gle piece of stainless as in the industry. Th
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise	Steel Tension Rods a gle piece of stainless es in the industry. Th tensioning, with ab
		Pearl's Stainless S forged, from a sing exacting tolerance	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel natched with a
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel latched with a ad brass swivel
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel hatched with a ad brass swivel e performance.
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel latched with a ad brass swivel
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel hatched with a e d brass swivel e performance. W7/32 x 28mm (6)
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precise SST-5028/6 SST-5038/6 SST-5038/6	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel hatched with a do brass swivel e performance. W7/32 x 28mm (6) W7/32 x 38mm (6) W7/32 x 42mm (6)
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5038/6 SST-5042/6 SST-5047/6	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel hatched with a do brass swivel e performance. W7/32 x 28mm (6) W7/32 x 38mm (6) W7/32 x 42mm (6) W7/32 x 47mm (6)
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precise SST-5028/6 SST-5038/6 SST-5038/6	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel hatched with a do brass swivel e performance. W7/32 x 28mm (6) W7/32 x 38mm (6) W7/32 x 42mm (6)
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5038/6 SST-5042/6 SST-5042/6 SST-5042/6	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel hatched with a ad brass swivel e performance. W7/32 × 28mm (6) W7/32 × 35mm (6) W7/32 × 42mm (6) W7/32 × 42mm (6) W7/32 × 52mm (6)
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5038/6 SST-5042/6 SST-5042/6 SST-5042/6	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel hatched with a do brass swivel e performance. W7/32 x 28mm (6) W7/32 x 38mm (6) W7/32 x 42mm (6) W7/32 x 47mm (6)
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5038/6 SST-5042/6 SST-5042/6 SST-5042/6	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel hatched with a ad brass swivel e performance. W7/32 × 28mm (6) W7/32 × 35mm (6) W7/32 × 42mm (6) W7/32 × 42mm (6) W7/32 × 52mm (6)
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5038/6 SST-5042/6 SST-5042/6 SST-5042/6	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel hatched with a do brass swivel e performance. W7/32 x 28mm (6) W7/32 x 35mm (6) W7/32 x 42mm (6) W7/32 x 42mm (6) W7/32 x 52mm (6) W7/32 x 52mm (6) W7/32 x 52mm (6)
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5038/6 SST-5042/6 SST-5042/6 SST-5042/6	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel hatched with a do brass swivel e performance. W7/32 x 28mm (6) W7/32 x 35mm (6) W7/32 x 42mm (6) W7/32 x 42mm (6) W7/32 x 52mm (6) W7/32 x 52mm (6) W7/32 x 52mm (6)
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5038/6 SST-5042/6 SST-5042/6 SST-5042/6	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel hatched with a do brass swivel e performance. W7/32 x 28mm (6) W7/32 x 35mm (6) W7/32 x 42mm (6) W7/32 x 42mm (6) W7/32 x 52mm (6) W7/32 x 52mm (6) W7/32 x 52mm (6)
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5038/6 SST-5038/6 SST-5042/6 SST-5052/6 <b>TENSION R</b>	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel atched with a d brass swivel e performance. W7/32 x 28mm (6) W7/32 x 35mm (6) W7/32 x 42mm (6) W7/32 x 42mm (6) W7/32 x 42mm (6) W7/32 x 52mm (6)
		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5038/6 SST-5038/6 SST-5042/6 SST-5042/6 SST-5052/6 <b>TENSION RO</b>	Steel Tension Rods a gle piece of stainless as in the industry. The tensioning, with ab stainless steel atched with a d brass swivel e performance. W7/32 x 28mm (6) W7/32 x 35mm (6) W7/32 x 35mm (6) W7/32 x 42mm (6) W7/32 x 42mm (6) W7/32 x 52mm (7) W7/32 x 52m
rd		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5038/6 SST-5038/6 SST-5042/6 SST-5052/6 <b>TENSION R</b>	Steel Tension Rods a gle piece of stainless as in the industry. Th tensioning, with ab stainless steel atched with a d brass swivel e performance. W7/32 x 28mm (6) W7/32 x 35mm (6) W7/32 x 42mm (6) W7/32 x 42mm (6) W7/32 x 42mm (6) W7/32 x 52mm (6)
rd		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5038/6 SST-5038/6 SST-5042/6 SST-5042/6 SST-5052/6 <b>TENSION RO</b>	Steel Tension Rods a gle piece of stainless as in the industry. The tensioning, with ab stainless steel atched with a d brass swivel e performance. W7/32 x 28mm (6) W7/32 x 35mm (6) W7/32 x 35mm (6) W7/32 x 42mm (6) W7/32 x 42mm (6) W7/32 x 52mm (7) W7/32 x 52m
rd		Pearl's Stainless S forged, from a sing exacting tolerance smooth, precise Each non-plated tension rod is m precision-machine nut for ultra-precis SST-5028/6 SST-5035/6 SST-5042/6 SST-5042/6 SST-5052/6 <b>TENSION RO</b> NLW-128/12 MTW-122/12	Steel Tension Rods a gle piece of stainless as in the industry. The tensioning, with ab stainless steel atched with a d brass swivel e performance. W7/32 x 28mm (6) W7/32 x 35mm (6) W7/32 x 35mm (6) W7/32 x 42mm (6) W7/32 x 42mm (6) W7/32 x 52mm (7) W7/32 x 52m

TL-20/10

TNK-10N/10











D pearldrummersforum.com